ELSEVIER

International Journal of Mass Spectrometry 188 (1999) 237

International Journal of Mass Spectrometry

Author index

Abramzon, N., 147
Altwegg, K., 189
Amy, J.W., 87

Balsiger, H., 189
Barr, R.M., 7
Bateman, R.H., 131
Becker, K., 147
Biasioli, F., L1
Blanksby, S.J., 17
Bojesen, G., 63
Borodin, A.I., 183
Bowers, M.T., 121
Bowie, J.H., 17
Boyd, R.K., 27
Brown, J., 131

Cederbaum, L.S., 199
Chen, Q.-F., 213
Claeys, M., 39, 163
Cooks, R.G., 87
Creaser, C.S., 53
Critchley, G., 131
Curtis, J.M., 27

Delforge, D., 63
Denekamp, C., 163
Dreuw, A., 199
Dua, S., 17

Fiegele, T., L1
Fokkens, R.H., 1
Futrell, J.H., L1

Gaskell, S.J., 95
Gidden, J., 121
Gill, L.A., 87
Goodings, J.M., 213
Green, B.N., 105
Grossert, J.S., 27
Gu, Z., 205

Harvey, D.J., 131
Herman, Z., L1
Hohl, M., 189
Hunter, A.P., 131
Huysmans, L., 39

Ivanov, V.P., 183

Jackson, A.T., 121
Jørgensen, T.J.D., 63

Kimura, T., 225
Klemm, D.J., 105
Kuchumov, A.R., 105

Mair, C., L1
Mallet, A.I., 7
Märk, T.D., L1

Newby, C.S., 7
Nibbering, N.M.M., 1
Nizigiyimana, L., 39

O'Malley, M., 95

Pocsfalvi, G., 163

Qin, Q., 205

Remacle, J., 63
Roepstorff, P., 63

Sadat Kiai, S.M., 177
Scherer, S., 189
Schröder, D., 17
Schwarz, H., 17
Scrivens, J.H., 121
Segal, D.M., 155
Seto, C., 27
Shinohara, H., 225
Siegel, R.B., 147
Stace, A.J., 113
Steen, H., 95
Storkey, M.E.M., 155
Sugai, T., 225
Summerfield, S.G., 95

Thompson, R.C., 155
Trukhan, S.N., 183

Van den Heuvel, H., 39
van Eijkelenborg, M.A., 155
Vaughn, W.E., 87
Vinogradov, S.N., 105

Waddell, D.S., 27
Walker, N.R., 113
Wang, X., 205
Williamson, B.L., 53
Woodward, C.A., 113
Wright, R.R., 113
Wurz, P., 189

Yamaoka, H., 1

ELSEVIER

International Journal of Mass Spectrometry 188 (1999) 239–242

International Journal of Mass Spectrometry

Subject index

Ab initio calculations
Long-lived high-spin sextet states of N_2^-, 199
Acetone
Surface-induced chemical reactions of cluster ions: competitive processes of protonated acetone formation in acetone dimer–surface collisions, L1
n-Alkyltriphenylphosphonium salts
Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163
Amines
Noncovalent inclusion complexes of protonated amines with crown ethers, 53
Anion radicals
Mass spectrometric studies of the oxocarbons C_nO_n (n = 3–6), 17

Beam-induced processes
Charge-remote molecular hydrogen removal in protonated and alkali-cationized long-chain fatty acid esters upon cesium ion bombardment, 39

Carbohydrates
Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers, 131
Charge-remote fragmentation
Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163
Charge-remote molecular hydrogen removal in protonated and alkali-cationized long-chain fatty acid esters upon cesium ion bombardment, 39
Studies of mixed-site and charge-site-remote fragmentations of quaternary ammonium ions. II. Effects of chain length, 27
Chemokines
Mass spectrometric characterisation of an interleukin-1α-like polypeptide induced in keratinocytes by skin irritants, 7

Cluster ions
Cluster ion studies of Ho^{2+} and Ho^{3+} solvation in the gas phase, 113
Surface-induced chemical reactions of cluster ions: competitive processes of protonated acetone formation in acetone dimer-surface collisions, L1
Collision-activated dissociation (CAD)
Phenyl thiocarbamoyl and related derivatives of peptides: Edman chemistry in the gas phase, 95
Collision-induced dissociation
Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163
Charge-remote molecular hydrogen removal in protonated and alkali-cationized long-chain fatty acid esters upon cesium ion bombardment, 39
Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63
Gas phase conformations of synthetic polymers: poly (methyl methacrylate) oligomers cationized by sodium ions, 121
A metastable ion and collision-induced dissociation study of the $(M–C_2H_4)^{\cdot+}$ ion from 3-phenyl-1-bromopropane, 1
π-Complex
Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163
Confinement
Confinement of ions in a radio frequency quadrupole ion trap supplied with a periodic impulsional potential, 177
Conformations
Gas phase conformations of synthetic polymers: poly (methyl methacrylate) oligomers cationized by sodium ions, 121
Cross sections
Cross section for the production of N_2^+ ($X^2\,\Sigma_g^+$) ions by electron impact on N_2, 147
Crown ethers

Noncovalent inclusion complexes of protonated amines with crown ethers, 53
Cyclotron resonance
Ion dynamics in a novel linear combined trap, 155

Electrode geometry
In situ optimization of the electrode geometry of the quadrupole ion trap, 87
Electron-impact ionization
Cross section for the production of N_2^+ ($X^2\,\Sigma_g^+$) ions by electron impact on N_2, 147
Electrospray
Mass spectrometric characterisation of an interleukin-1α-like polypeptide induced in keratinocytes by skin irritants, 7
Phenyl thiocarbamoyl and related derivatives of peptides: Edman chemistry in the gas phase, 95
Electrospray ionization mass spectrometry
An electrospray ionization mass spectrometric study of the giant, extracellular, hexagonal bilayer hemoglobin of the leech Haemopis grandis provides a complete enumeration of its subunits, 105
Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63
Excited state
Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163

Fast atom bombardment (FAB)
Charge-remote and charge-proximate fragmentations in deuterium-labeled *n*-hexadecyltriphenylphosphonium cations upon high-energy collisional activation: evidence for the involvement of a phenyl biradical, 163
Charge-remote molecular hydrogen removal in protonated and alkali-cationized long-chain fatty acid esters upon cesium ion bombardment, 39
Flame ionization
Chemical kinetics of lanthanum ionization in H_2–O_2–N_2 flames, 213
Fragment ions
Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers, 131

Gas-phase
Chemical kinetics of lanthanum ionization in H_2–O_2–N_2 flames, 213
Cluster ion studies of Ho^{2+} and Ho^{3+} solvation in the gas phase, 113
Glycopeptide antibiotics
Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63

Hemoglobin
An electrospray ionization mass spectrometric study of the giant, extracellular, hexagonal bilayer hemoglobin of the leech Haemopis grandis provides a complete enumeration of its subunits, 105
Ho solvation
Cluster ion studies of Ho^{2+} and Ho^{3+} solvation in the gas phase, 113

Impulsional potential
Confinement of ions in a radio frequency quadrupole ion trap supplied with a periodic impulsional potential, 177
Inclusion complexes
Noncovalent inclusion complexes of protonated amines with crown ethers, 53
Inflammation
Mass spectrometric characterisation of an interleukin-1α-like polypeptide induced in keratinocytes by skin irritants, 7
In situ optimization
In situ optimization of the electrode geometry of the quadrupole ion trap, 87
Interleukin
Mass spectrometric characterisation of an interleukin-1α-like polypeptide induced in keratinocytes by skin irritants, 7
Ion dimer
Mechanism of the ion dimer formation in secondary ion mass spectrometry, 183
Ion emission
Mechanism of the ion dimer formation in secondary ion mass spectrometry, 183
Ion trap mass spectrometry
Noncovalent inclusion complexes of protonated amines with crown ethers, 53

Kinetic energy release
A metastable ion and collision- induced dissociation study of the $(M–C_2H_4)^{\cdot+}$ ion from 3-phenyl-1-bromopropane, 1

Lanthanum
Chemical kinetics of lanthanum ionization in H_2–O_2–N_2 flames, 213

Laser ablation
A mass spectrometric study on the formation of ionic Ta-containing oxides from laser ablation of Ta and Ta_2O_5 in O_2 ambient, 205
Laser cooling
Ion dynamics in a novel linear combined trap, 155
Laser-induced fluorescence
Cross section for the production of N_2^+ ($X^2\,\Sigma_g^+$) ions by electron impact on N_2, 147
Laser-vaporization
Production and mass spectroscopic characterization of metallocarbon clusters incorporating Sc, Y, and Ca atoms, 225
Leech
An electrospray ionization mass spectrometric study of the giant, extracellular, hexagonal bilayer hemoglobin of the leech Haemopis grandis provides a complete enumeration of its subunits, 105
Long-chain quaternary ammonium ions
Studies of mixed-site and charge-site-remote fragmentations of quaternary ammonium ions. II. Effects of chain length, 27
Long-lived anions
Long-lived high-spin sextet states of N_2^-, 199

Mass spectrometry
Chemical kinetics of lanthanum ionization in H_2–O_2–N_2 flames, 213
Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63
Mass selective blanking in a compact multiple reflection time-of-flight mass spectrometer, 189
Mass spectrometric studies of the oxocarbons C_nO_n (n = 3–6), 17
In situ optimization of the electrode geometry of the quadrupole ion trap, 87
Mass suppression
Mass selective blanking in a compact multiple reflection time-of-flight mass spectrometer, 189
Matrix-assisted laser desorption (ionization) [MALD(I)]
Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers, 131
Metallocarbon clusters
Production and mass spectroscopic characterization of metallocarbon clusters incorporating Sc, Y, and Ca atoms, 225
Metallofullerenes
Production and mass spectroscopic characterization of metallocarbon clusters incorporating Sc, Y, and Ca atoms, 225
Metastable ions
A metastable ion and collision-induced dissociation study of the $(M–C_2H_4)^{\cdot+}$ ion from 3-phenyl-1-bromopropane, 1
Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers, 131
Molecular recognition
Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63
Multiple reflections
Mass selective blanking in a compact multiple reflection time-of-flight mass spectrometer, 189

Neutralization-reionization
Mass spectrometric studies of the oxocarbons C_nO_n (n = 3–6), 17
Nickel
Mechanism of the ion dimer formation in secondary ion mass spectrometry, 183
Nitrogen
Long-lived high-spin sextet states of N_2^-, 199
Noncovalent complexes
Collision-induced dissociation of noncovalent complexes between vancomycin antibiotics and peptide ligand stereoisomers: evidence for molecular recognition in the gas phase, 63

Oxocarbons
Mass spectrometric studies of the oxocarbons C_nO_n (n = 3–6), 17

Paul trap
Ion dynamics in a novel linear combined trap, 155
Penning trap
Ion dynamics in a novel linear combined trap, 155
Peptides
Phenyl thiocarbamoyl and related derivatives of peptides: Edman chemistry in the gas phase, 95
3-Pheynl-1-bromopropane
A metastable ion and collision-induced dissociation study of the $(M–C_2H_4)^{\cdot+}$ ion from 3-phenyl-1-bromopropane, 1
Polyketones
Mass spectrometric studies of the oxocarbons C_nO_n (n = 3–6), 17
Polymethyl methacrylate

Gas phase conformations of synthetic polymers: poly (methyl methacrylate) oligomers cationized by sodium ions, 121
Post-source decay
Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers, 131

Quadrupole ion traps
In situ optimization of the electrode geometry of the quadrupole ion trap, 87
Quadrupole rf trap
Confinement of ions in a radio frequency quadrupole ion trap supplied with a periodic impulsional potential, 177

Reflectron
Mass selective blanking in a compact multiple reflection time-of-flight mass spectrometer, 189

Secondary ion mass spectrometry (SIMS)
Mechanism of the ion dimer formation in secondary ion mass spectrometry, 183
Sextet states
Long-lived high-spin sextet states of N_2^-, 199
Skin
Mass spectrometric characterisation of an interleukin-1α-like polypeptide induced in keratinocytes by skin irritants, 7
Sputtering
Mechanism of the ion dimer formation in secondary ion mass spectrometry, 183
Subunits
An electrospray ionization mass spectrometric study of the giant, extracellular, hexagonal bilayer hemoglobin of the leech Haemopis grandis provides a complete enumeration of its subunits, 105
Supersonic cluster beam
Production and mass spectroscopic characterization of metallocarbon clusters incorporating Sc, Y, and Ca atoms, 225
Surface induced reactions
Surface-induced chemical reactions of cluster ions: competitive processes of protonated acetone formation in acetone dimer-surface collisions, L1

Ta-containing ionic oxides
A mass spectrometric study on the formation of ionic Ta-containing oxides from laser ablation of Ta and Ta_2O_5 in O_2 ambient, 205
Tandem mass spectrometry
Phenyl thiocarbamoyl and related derivatives of peptides: Edman chemistry in the gas phase, 95
Surface-induced chemical reactions of cluster ions: competitive processes of protonated acetone formation in acetone dimer-surface collisions, L1
Thermal ionization
Chemical kinetics of lanthanum ionization in H_2–O_2–N_2 flames, 213
Thiocarbamoyl derivatives
Phenyl thiocarbamoyl and related derivatives of peptides: Edman chemistry in the gas phase, 95
Time-of-flight mass spectrometry
Mass selective blanking in a compact multiple reflection time-of-flight mass spectrometer, 189
A mass spectrometric study on the formation of ionic Ta-containing oxides from laser ablation of Ta and Ta_2O_5 in O_2 ambient, 205
Production and mass spectroscopic characterization of metallocarbon clusters incorporating Sc, Y, and Ca atoms, 225

Unimolecular dissociation reaction mechanism
A metastable ion and collision-induced dissociation study of the $(M–C_2H_4)^{\cdot-}$ ion from 3-phenyl-1-bromopropane, 1